

12.5 Change history

| Date | Version | Software version | Changes |
|---------|---------|------------------|---|
| 11.2020 | 08 | --- | Cover page: Software > 2000 12.1.9: Nominal system voltages corrected 13.3.3: CTxx- series measuring current transformers added/series in phase-out removed Classification of climatic conditions |
| 02.2022 | 09 | --- | Editorial revision 4.4 / 5.10: Exact naming of X2 interface 13.2: DIN EN 45545-2:2016 added, UKCA added |
| 11.2023 | 10 | --- | Editorial revision Integration of EMC requirements of Class A devices in accordance with the VDE wording Diagrams: Characteristic curves for systems < 42 V removed; Characteristic curve for low voltages added. Transfer to the editorial system incl. new CI. Chapter "Safety instructions" removed, content transferred to corresponding chapters. Chapter "Device communication" restructured. CTUB104 removed. Test current EDS441-LAB-4 = 25 mA. Lists of compatible current transformers revised. Mounting > General information: Note for UL applications added. |
| 08.2024 | 11 | --- | EDS440 characteristic curves added for iso1685: "Characteristic curves EDS440 for AC systems", page 53; "Characteristic curves EDS440 for DC systems", page 55 |
| 05.2025 | 12 | --- | Data rate Modbus RTU corrected, "Interfaces", page 72. W1-35/8000 (B911756) removed, "Measuring current transformers for EDS441", page 79. |
| 02.2026 | 13 | --- | Editorial revision: ai2svg; cover image, cable type interface -> CAT6/7 Document in language FR WS current transformers removed |



Bender GmbH & Co. KG

Londorfer Straße 65
35305 Grünberg
Germany

Tel.: +49 6401 807-0
info@bender.de
www.bender.de

All rights reserved.
Reprinting and duplicating only with
permission of the publisher.



© Bender GmbH & Co. KG, Germany
Subject to change!
The specified standards take into
account the edition valid until 02.2026
unless otherwise indicated.